

Quon



SPECIFICATIONS

Power:	294 kW (400 PS) @ 1600 rpm
Torque:	GH11TB - 2000 Nm (1475 lb.ft) @ 950 rpm
Transmission:	ESCOT-VI automated manual transmission (AMT)
Suspension:	Air bag suspension
Wheelbase:	5800 mm (V-wheelbase)
GVM:	25,000 kg
GCM:	45,000 kg

UD TRUCKS EXTRA MILE SOLUTIONS



UD TRUCKS FINANCIAL SERVICES Delivering flexible finance solutions that are tailored to your business. Helping to get your UD Quon on the road, as soon as possible.*

UD CONNECT



Keep track of your fleet, improve driver performance, save fuel and reduce maintenance costs, through our integrated telematics system with fully customisable reports.**

UD TRUCKS SERVICE AGREEMENTS Peace of mind through tailored service plans, with fixed monthly costs and preventative maintenance options. Maximising fleet uptime and your bottom line.**



GH11 engine: fuel efficient, powerful and clean

RESPECT FOR THE ENVIRONMENT

SMART UPTIME

Quon has been designed to further optimise uptime, with superior reliability and increased maintenance intervals.

NEW SMART FUEL EFFICIENT ENGINES WITH

QUON




SMART SAFETY

Active safety with mechanical and electronic features throughout, including safety for vulnerable road users.

SMART PRODUCTIVITY

Light weight chassis helping to maximise payload. New engines with improved horsepower and torque to increase productivity.

SMART DRIVABILITY





Going the Extra Mile. *Finance offered by Volvo Financial Services Pty Ltd. **Terms and conditions apply.

LUTIONS



GENERAL SPECIFICATIONS

CAEETV

SAFETY	
Passive Safety:	 Highly rigid cabin with ECE R29 rating Side door beams Front underrun protection system (FUPS) SRS driver steering wheel airbag Driver side seat belt with pre-tensioner Steering wheel & column with impact absorption function
Active Safety:	 Traffic Eye Brake System (AEB) Traffic Eye Cruise Control with auto stop & go Traffic sign recognition Lane departure warning system Electronic stability control Automatic hill start assist (ESCOT VI) Lane change support LHS & RHS Blind spot information system LHS & RHS Vulnerable road user detection LHS, RHS & front.
Basic Safety:	 LED Headlamps (low beam only) Disc brakes Anti Locking Brake System Emergency Braking System UD Extra Engine Braking (UD EEB) Safe Brake Blending Immobiliser Two-step entry and exit

ENGINE	
Model:	GH11TB
Description:	6 cylinder, 4 stroke diesel engine
Displacement:	10,837 сс
Bore x stroke:	123 mm x 152 mm
Compression ratio:	17.5:1
Max. governed engine speed:	2,100 rpm
GH11TB400PS 294kW (400PS) @ 1,600rpm 2,000Nm (1475 lb-ft) @ 950 -1,350rpm	11L 400PS 350 2000 300 1500 200 1500 500 500 500 500 500 500 500 500 500 500 500 6 500 0 0 0 0 0 0 0 0 0 0 0 0 0 0

FUEL AND INTAKE SYSTEM		
Fuel capacity:	400 litres	
Injection type:	High pressure common rail direct fuel injection system	
Filtration:	Chassis mounted primary filter and engine mounted secondary filter	

Emission standard:	pPNLT (equivilant to Euro 6 emission requirements)
Adblue capacity:	50 litres
Exhaust system:	RHS chassis mounted box muffler

ELECTRICAL				
Power:	24 volt	agativa gravu	ad system	~
		negative groui	,	[]
Battery capacity:	2 x 12 vc	olt 135 Ah bat	teries	
Alternator:	110 amp	1		
TRANSMISSION - ES	бсот			
Make:	UD Trucks			
Model:	ESCOT-VI (AT2612F)			
Description:	Automated manual transmission (AMT)			
Shift type:	12 forwa	ard & 2 reverse	e gears	
Gear ratios:	Electronic shifter with fully automatic or manual control			
	1 st	14.94	7 TH	3.44
	2 ND	11.73	8 TH	2.70
	3 RD	9.04	9 th	2.08
	4 TH	7.09	10 TH	1.63
	5 TH	5.54	11 [™]	1.27
	6 TH	4.35	12 [™]	1.00
	Rev 1	17.48	Rev 2	13.73
PTO capacity:	1000 Nm	n @ 70% or 9	0% (PTR	-D)

FRONT AXLE AND SUSPENSION SYSTEM		
Ground capacity:	8,200 kg	
Axle type:	Reverse Elliot I-Beam	
Suspension:	Parabolic leaf spring with shock absorbers	
Spring dimensions:	90mm x 1460mm	
Spring constant:	347.7 N/mm	

REAR AXLE AND SU	JSPENSION SYSTEM
Ground capacity:	20,000 kg
Axle type / model:	Single reduction, hypoid gear, with cross locks.
Final reduction ratio:	3.08 or 3.36
Shock absorbers:	4 telescopic double acting
Road friendly certification number:	RF2099 (air only)
Control system:	Electronic Controlled Air Suspension with remote control mounted in cab (ECAS4)
BRAKES	
Туре:	Electronic braking system (EBS) with disc brakes on all axles
Front/Rear:	430 mm rotors / 430 mm rotors
Park brakes:	Hand-operated pneumatic spring park brake on drive axles
Auxiliary brake:	Exhaust plus engine compression type (EEB)
Trailer connections:	Air and electrical connections to rear of chassis
STEERING	
Туре:	Recirculating ball and screw with hydraulic assist
Steering gear ratio:	24.1 - 26.8 : 1
Column:	Adjustable, tilt and telescopic control
Steering wheel:	460 mm diameter with ignition key steering lock

UD Trucks Australia

udtrucks.com/australia

DISCLAIMER: Imported and distributed by Volvo Group Australia Pty Ltd (ABN: 27 000 761 259). Photos for illustration purposes. Volvo Group Australia Pty Ltd reserves the right to modify design and change equipment without previous notification. Please consult with your UD Trucks Dealer for the latest information about vehicle specifications. Last published: October 2024

WHEELS & TYRES

Wheels:	8.25in x 22.5in rim with 165mm offset and ISO 10 stud pattern (335mm PCD)
Front tyres:	295/80 R22.5 Bridgestone R150Z
Rear tyres:	11R 22.5 Bridgestone M711AZ
Spare tyre	295/80 R22.5 Bridgestone R150Z

FRAME	
Width:	850 mm
Side rail dimensions:	300 mm x 90 mm x 7 mm
Material:	Rolled high tensile carbon steel
Tensile strength:	600MPa / 600N/mm ²

DRIVER INFORMATION & CUSTOMISABLE COLOUR DISPLAY SCREEN

In Dash Warning Systems:	Visual warning lamps with audible warning tones, plus written warnings displayed in full colour on the information screen
In Dash Driver Information:	Customisable live information includes: On board fuel coaching with economy tips, fuel & AdBlue usage, instant fuel consumption, digital speedo, trip computer including: time, distance & distance to empty. Hour meter, coolant temp, engine oil temp, transmission oil temp, UDPC level and volt meter.

INTERNAL CABIN	
Lighting:	Dual ON/OFF/DOOR interior lights Interior neon cabin lamp
Seating capacity:	Two (three seats optional)
Driver's seat:	ISRI 6860/875 air suspended seat with integrated seat belt & adjustable arm rest. Adjustable height control & rebound damper. With split seat back adjustments for recline & head rest position. Seat base tilt, seat cushion slide, seat air dump switch. Adjustable air bladders (4) for side bolsters, upper & lower lumbar.
Passenger seat/s:	Assistant seat with adjustable back & head rest
Sleeping capability:	ADR 42/04 compliant sleeper bunk with mattress and full curtains
Side windows:	Power operated door glass
Security:	Remote central locking with immobiliser
Air conditioning:	Fully automatic climate controlled air conditioning with recirculation filter
Multimedia unit:	 8-inch touch screen Hands-free Bluetooth operation. FM1, FM2, FM3, AM, DAB+ tuner USB input Up to 5 cameras input Wi -Fi Module Phone tethering Cordless Apple Car Play & Android Auto Truck specific satellite navigation OTA (over the air updates)
Storage:	Multiple in-cab compartments
Power Outlet:	24 volt 240W & 12 volt 120W in dash
DIN accessory fitment:	Two DIN sized compartments
Floor covering	Vinyl

EXTERNAL CABIN	
Cab Description:	Forward control, pressed steel construction
Mounting type:	Full floating, 4 bag air suspended cab with 4 dual acting shock absorbers and dual automatic height control valves.
Cab paint:	Standard – Polar White. Paint code W33
Inspection points:	Back of the cab and front panel
Bumper type:	3 piece with steel corner panels
Mirrors:	Heated and electrically operated main mirrors with flat glass, wide vision and passenger-side downward facing spot mirrors
Lamps:	 LED head lamps (low beam) Bumper mounted fog lamps Roof mounted clearance lights
Wipers:	Triple arm, 2 speed wipers with variable intermittent operation and integrated washers
Reversing system:	Reverse beeper and digital infrared camera with microphone

FACTORY OPTIONAL	. EQUIPMENT
Tyres:	275 /70 R22.5
Wheels:	Alcoa aluminium wheels
Rear engine PTO:	DIN 5462 or Flange SAE1410; 650 Nm capacity
Safety:	Driver Alert SystemDriver Monitoring System
Cab Interior:	Leather steering wheel, woodgrain dash, centre console or 2nd passenger seat
Cab Exterior:	Roof scoop, chrome grille, roof beacon prep kit, bumper spoiler, passenger door peep window, cab auxilliary side windows
Chassis:	Additional 400 litre fuel tank (V wheelbase only), front axle stabiliser.
Cab Paint:	Custom paint colours.
Additional Wheelbases:	4,700mm, 5,100mm

UD CONNECT (FLEET MANAGEMENT)

Telematics hardware:	In-cab GSM and GPS unit with SIMcard connected to roof antenna
Subscription:	First 12 months are complimentary with the purchase of a new UD Quon*
Key Reports:	 Total operational time and distance Average speed and fuel consumption Total CO2 emission Vehicle utilisation Anticipating & braking Engine & gear utilisation Speed adaptation Time idling (standstill)

UD Trucks Australia

udtrucks.com/australia

DISCLAIMER: Imported and distributed by Volvo Group Australia Pty Ltd (ABN: 27 000 761 259). Photos for illustration purposes. Volvo Group Australia Pty Ltd reserves the right to modify design and change equipment without previous notification. Please consult with your UD Trucks Dealer for the latest information about vehicle specifications. Last published: October 2024

MAJOR DIMENSIONS


	Mass (kg)					Vehicle Dimensions (mm)													
Variant	Wheelbase code	*MVB	GCM	Total Tare	WB	TWB	lo	MO	НО	FT	RT	AS	ROH	CA	CC	FHF	FHR	Turning radius (kerb to kerb)	UD order code
UD - Air	V	25000	45000	7409	5800	6485	11467	2490	2970	2062	1851	1370	4145	5085	249	1010	1012	9900	CD25400VAA

*Rated GVM and axle capacities are subject to Federal, State and Territory legal requirements.

Mass is an estimation based only on standard model, includes fluids (no diesel fuel or Adblue®). Excludes spare wheel. Excludes driver and tools. Subject to \pm 3% tolerance.

Ground clearance is based on vehicle with standard wheels and tyres For alloy rims deduct 28kg from Front tare and deduct 56kg from each rear axle in rear tare.

For alloy rims add 18mm to both FT and RT measurements



WARRANTY

Standard warranty⁺ Cab corrosion warranty⁺ 36 months/500,000 kms 36 months/unlimited kms + For details refer to your UD Trucks New Vehicle Warranty brochure
 ++ Purchased by the owner and covers selected factory items only.
 For details refer to your UD Trucks New Vehicle Warranty brochure

TAKE YOUR BUSINESS FURTHER WITH UD TRUCKS EXTRA MILE SOLUTIONS



UD TRUCKS FINANCIAL SERVICES Fast, competitive, customisable and fuss-free

UD Trucks Financial Services deliver professional and customisable solutions directly through your UD Trucks dealer network. You'll get a comprehensive and flexible finance solution that's tailored to your needs. We will help to get your UD Truck on the road, as soon as possible.*

Fast and easy to work with

We are easy to do business with, and you can depend on us to secure a competitive and fast finance package.

Tailored Solutions

 $\overline{}$

|

We take the time to get to know you and your business so that we can offer you the best tailored solution. One that meets your needs and is flexible enough to carry you confidently into the future.

A second financing source





UD TRUCKS SERVICE AGREEMENTS Complete peace of mind

Managing a fleet is no easy task, but with UD Trucks Service Agreements, we can make that much simpler while maximising uptime and providing full peace of mind.

Not only will your fleet enjoy professional service and highquality, assured parts from UD Trucks, you can also have improved cost control with our simple, fixed monthly invoicing and help from our service advisers every step of the way.**




UD TRUST ULTIMATE The UD Trust Ultimate plan is the most comprehensive of all the UD Trucks Service Agreements. with the added confidence of repairs to the electrical, engine, driveline, braking and steering systems.



The UD Trust Extra plan covers all that is included in the Standard Program as well as repairs to the driveline components, brakes and clutch components.

UD TRUST STANDARD



Keeping your fleet in check

UD Connect uses advanced telematics technology to capture data on operational and truck performance. Providing easyto-read reports to inform you and then take steps to improve driver performance, save fuel and reduce maintenance costs. Monitoring driver and truck performance, with real-time analysis and top-line reporting.

Each UD Truck in Australia that's fitted with UD Connect and that has been signed up to our agreement, will give you instant feedback on driver behaviour while they're out on the road, allowing you to identify areas of improvement.***





consumption and improve your bottom line. Maximising fleet uptime

Comprehensive and proactive support to assist fleet uptime and productivity.

UD Trucks Australia

udtrucks.com/australia

DISCLAIMER: Imported and distributed by Volvo Group Australia Pty Ltd (ABN: 27 000 761 259). Photos for illustration purposes Volvo Group Australia Pty Ltd reserves the right to modify design and change equipment without previous notification. Please consult with your UD Trucks Dealer for the latest information about vehicle specifications. Last published: October 2024 *Finance offered by Volvo Financial Services Pty Ltd trading as UD Trucks Financial Services. Subject to credit checks and terms and conditions. ** Terms and conditions apply. Contact us for a copy of our UD Trucks Service Agreement terms.